




玩转艺术70多年的意大利品牌Cinelli，被荣称为意大利一王四后的同时也是为固齿文化贡献极大的品牌。由前职业赛车手和米兰圣雷莫锦标赛的冠军于1947年创立。Cinelli一直走在时尚前端，散发着令人向往的活力的味道。



“Le biciclette
da corsa
devono
correre”

ROAD PERFORMANCE

Bicycles must compete is Cinelli's mantra since its foundation with Cino Cinelli through the handover to Antonio Colombo in 1979. Today, Cinelli carbon road frames merge design and innovation to deliver cutting edge racing quality. Still obsessed with stubborn perfection.





ROAD GRAVEL ADVENTURE URBAN

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
975 g	390 g	BB 86,5	32 mm

pressure II

The ultimate Italian aerodynamic high-speed road riding experience.
New and improved 100% Milanese design.



The image has the sole purpose of presenting the product.
Some assembly specifications may vary.

- Reduced weight (-109 g)
- Modified carbon fiber layup for improved ride quality and reliability
- Increased tyre clearance (32mm)
- 100% Milanese design
- UCI approved
- Full pro features:
 - racing geometry
 - over benchmark stiffness
 - aero-enhanced tubing profiles
 - integrated cables




RACING WHITE PATINA / 竞速白·古铜质感

Born to race, Pressure is the pinnacle of Cinelli's road bike design language. Obsessively re-engineered seatpost length, clamp mechanism and cable guides reduce the weight of the Pressure II framekit by 5% relative to its predecessor. Refined over 4 different samples the Pressure II's carbon fiber layup represents what our R&D team and pro riders believe to be the best ratio between weight savings, race stiffness and reliability. In line with most recent studies in aerodynamics, rolling resistance and - most importantly - the continuous hybridization of the road bike, the Pressure II features 32mm max tyre clearance.



frame specs

Sizes	XS (46) - S (49) - M (52) - L (55) - XL (58)
Cockpit	XS 90x370 - S 100x390 - M 110x390 - L 110x390 - XL 120x410 (included)
Material	Columbus Carbon Monocoque T800
Headset	IS 52/28,6 IS 52/40 FSA ACR 1-1/2" (included)
Seatpost	Full Carbon Aero (included) / Carbon Rail Comp.
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Braze-On
Routing	Full Internal - Electronic Groupset Only
Color	Racing White Patina / Dandy's Racing Green
Tyre Clear.	up to 700x32 mm
Fork	Full Carbon Monocoque 1-1/8" - 1-1/2" Full Internal Cable Routing
Weight	Frame 975g (size M) - Fork 390g (uncut) (+/- 5% - raw finish)
Brake	Flat Mount Disc Brake, Rotor Size Up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x165 / Front TA Ø 12x100mm - M12x119
Highlights	Extra hanger / P1-Rs. Skewers



geometry

	S1	S	T1	T	HT	A	B	R	C	F	WB	E	FORK STACK REACH
XS	460	1	518	1	119	71	73.5	45	410	571	971	68	365 512 366
S	490	1	530	1	134	71.5	73.5	45	410	579	979	68	365 528 374
M	520	1	545	1	144	72	73.5	45	410	590	990	68	365 539 385
L	550	1	560	1	164	72.5	73.5	45	410	600	1000	68	365 560 394
XL	580	1	575	1	184	73	73.5	45	410	611	1011	68	365 581 403

assembly

	DURA-ACE-DI2 (1) ¥79,800.00	DURA-ACE-DI2 (2) ¥79,800.00
FRAME:	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线
FORK:	碳纤维前叉	碳纤维前叉
SEATPOST:	碳纤维异型鞍管	碳纤维异型鞍管
HANDLEBAR:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
STEM:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
SADDLE:	selle italia SLR BOOST	selle italia SLR BOOST
SPEED:	2x12S	2x12S
CRANKSET:	SHIMANO DURA-ACE R9200 34*50T	SHIMANO DURA-ACE R9200 34*50T
CASSETTE:	SHIMANO DURA-ACE DI2 R9200 11-30T	SHIMANO DURA-ACE DI2 R9200 11-30T
CHAIN:	SHIMANO DURA-ACE M9100	SHIMANO DURA-ACE M9100
FT.DERAILLEUR:	SHIMANO DURA-ACE DI2 R9250	SHIMANO DURA-ACE DI2 R9250
R.DERAILLEUR:	SHIMANO DURA-ACE DI2 R9250	SHIMANO DURA-ACE DI2 R9250
SHIFTERS:	SHIMANO DURA-ACE DI2 R9270	SHIMANO DURA-ACE DI2 R9270
ROTORS:	SHIMANO DURA-ACE R9270	SHIMANO DURA-ACE R9270
WHEELSET:	DT SWISS ARC 1100 DICUT	SHIMANO DURA-ACE
WHEELSET:	CAMPAGNOLO ULTRA WTO	
TYRES:	Pirelli P Zero Race 700x28C	Pirelli P Zero Race 700x28C
WEIGHT LIMIT:	90Kg	90Kg
	ULTEGRA DI2 (1) ¥58,600.00	ULTEGRA DI2 (2) ¥58,600.00
FRAME:	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线
FORK:	碳纤维前叉	碳纤维前叉
SEATPOST:	碳纤维异型鞍管	碳纤维异型鞍管
HANDLEBAR:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
STEM:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
SADDLE:	selle italia	selle italia
SPEED:	2x12S	2x12S
CRANKSET:	SHIMANO ULTEGRA R8100 34*50T	SHIMANO ULTEGRA R8100 34*50T
CASSETTE:	SHIMANO ULTEGRA R8100 11-30T	SHIMANO ULTEGRA R8100 11-30T
CHAIN:	SHIMANO ULTEGRA M8100	SHIMANO ULTEGRA M8100
FT.DERAILLEUR:	SHIMANO ULTEGRA DI2 R8150	SHIMANO ULTEGRA DI2 R8150
R.DERAILLEUR:	SHIMANO ULTEGRA DI2 R8150	SHIMANO ULTEGRA DI2 R8150
SHIFTERS:	SHIMANO ULTEGRA DI2 R8170	SHIMANO ULTEGRA DI2 R8170
ROTORS:	SHIMANO ULTEGRA R8170	SHIMANO ULTEGRA R8170
WHEELSET:	DT SWISS ARC 1400 DICUT	DT SWISS ARC 1400 DICUT
WHEELSET:	CAMPAGNOLO WTO	CAMPAGNOLO WTO
TYRES:	Pirelli P ZERO ROAD 700x28C	Pirelli P ZERO ROAD 700x28C
WEIGHT LIMIT:	90Kg	90Kg



ROAD GRAVEL ADVENTURE URBAN

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
990 g	390 g	BB 86,5	30 mm

pressure

Born to race, Pressure synthesizes the needs of performance cycling into the language of contemporary Milanese design.



The image has the sole purpose of presenting the product.
Some assembly specifications may vary.

- ☑ Pinnacle of Cinelli's road bike design language
- ☑ Aerodynamic tube profile
- ☑ Integrated wiring aero cockpit
- ☑ Integrated seatpost
- ☑ T800 High modulus carbon fiber
- ☑ Max tyre clearance 700x30c



beige colour / 米色



red-pink gradient / 红粉渐变



camouflage colour / 迷彩色



dazzling colours / 炫彩色

Born to race, Pressure is the pinnacle of Cinelli's road bike design language. Made from a high modulus T800 carbon fiber with proprietary lay-up tested and developed in conjunction with Italy's premier development team, Colpack Ballan CSB over a period of two years, the Pressure synthesizes into a contemporary Milanese design language the performance cyclist's need for aerodynamic tube profiles, integrated wiring and an aggressive road feel that pays homage to our historical Italian racing DNA. Various prestigious professional victories include the 2021 UCI U23 Mens World Championships with Filippo Baroncini.

NEW COLOR



Triple Grey / 灰黑 III




Triple Black / 黑 III



frame specs

Sizes	XS (46) - S (49) - M (52) - L (55) - XL (58)
Cockpit	XS 100x40 - S 100x40 - M 110x42 - L 110x42 - XL 120x42 Included
Material	Columbus Carbon Monocoque T800
Headset	IS 52/28.6 IS 52/40 FSA ACR 1-1/2" (included)
Seatpost	Aero (included) / Carbon Rail Comp. / L 300 (XS) - L 350 (S-M-L-XL)
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86,5 x 41 mm
Ft. derailleur	Braze-On
Routing	Full Internal - Di2/EPS Compatible
Color	Triple White / Triple Grey / Triple Black / Team Limited
Tyre Clear.	up to 700x30 mm
Fork	Columbus Disc 1-1/2" Carbon Monocoque Internal Cable Routing
Weight	Frame 990g (size M) - Fork 390g (uncut)
Brake	Flat Mount Disc Brake, Rotor Size Up To 160 mm
Dropouts ST	Rear 1A Ø 12x142mm - M12x165 / Front 1A Ø 12x100mm - M12x120
Highlights	Extra hanger / Di2 / EPS Cable Inserts / F-R Skewers



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	460	444	518	504	110	71	73.5	45	410	571	971	68	374	512	366
S	490	472	530	518	125	71.5	73.5	45	410	579	979	68	374	528	374
M	520	503	545	538	135	72	73.5	45	410	590	990	68	374	539	385
L	550	535	560	556	155	72.5	73.5	45	410	600	1001	68	374	560	394
XL	580	567	575	573	175	73	73.5	45	410	611	1011	68	374	581	403

assembly

FRAME:
FORK:
SEATPOST:
HANDLEBAR:
STEM:
SADDLE:
SPEED:
CRANKSET:
CASSETTE:
CHAIN:
FT.DERAILLEUR:
R.DERAILLEUR:
SHIFTERS:
ROTORS:
WHEELSET:
WHEELSET:
TYRES:
WEIGHT LIMIT:

DURA-ACE DISC DI2 ¥79,800.00

CARBON MONOCOQUE T800
CARBON MONOCOQUE T800
CARBON RAIL COMP
CARBON
/
SELLEROYAL FIZIK
2x12S
SHIMANO DARA-ACE 34*50T
SHIMANO DARA-ACE DI2 11-34T 12s
SHIMANO DARA-ACE DI2
SHIMANO DARA-ACE DI2
SHIMANO DARA-ACE DI2
SHIMANO DARA-ACE DI2
SHIMANO (160/140)
CARBON 60MM, 24H
CAMPAGNOLO
SCHWALBE 28C
90Kg

ULTEGRA DISC DI2 ¥51,600.00

CARBON MONOCOQUE T800
CARBON MONOCOQUE T800
CARBON RAIL COMP
CARBON
/
SELLEROYAL FIZIK
2x12S
SHIMANO ULTEGRA 34*50T
SHIMANO ULTEGRA 11-30T 12s
SHIMANO ULTEGRA
SHIMANO ULTEGRA DI2
SHIMANO ULTEGRA DI2
SHIMANO ULTEGRA DI2
SHIMANO ULTEGRA DI2
SHIMANO (160/140)
CARBON 60MM, 24H
CAMPAGNOLO
DT SWISS 1400
90Kg



ROAD GRAVEL ADVENTURE URBAN

NEW COLOR NEW COLOR NEW COLOR NEW COLOR

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
990 g	420 g	BB 86,5	30 mm

pressure adr

The Pressure ADR maintains our Pressure's pure competition handling and feel, augmented with all-day-race comfort for epic racing.



The image has the sole purpose of presenting the product. Some assembly specifications may vary.

- Tuned for ultimate racing comfort
- Aggressive rider position
- Integrated seatpost clamp and cable routing
- Possibility to customize build with after-market components thanks to the standard seat post and fork steerer diameters



NEW

camouflage colour / 迷彩色



The Pressure ADR continues to refine the design and performance developments of our aero-racer, the Pressure fine tuning it for epic, long-distance racing. The ADR in fact maintains the signature pure competition handling and feel of the Pressure, fine-tuning tube sections and carbon fiber lay-up to make it more suitable for long hours in the saddle. These engineering considerations are complemented by fully-integrated cable routing and the use of standard seatpost and fork steerer diameters, allowing the owner to easily install world-leading after market component solutions.

Midnight Scream / 黑漆设计



Triple White Slow Fade / 渐次褪色白印




SUNFADED LASERBLUE / 渐次褪色蓝印



NEW

frame specs

Sizes	XS (45) - S (48) - M (51) - L (54) - XL (57)
Cockpit	/
Material	Columbus Carbon Monocoque
Headset	IS 52/28.6 IS 52/40
Seatpost	ø 27.2
Seat Clamp	Hidden (included)
BB Shell	Press Fit 86.5 x 41 mm
Ft. derailleur	Brake-On
Routing	Full Internal - Di2/EPS Compatible
Color	Sun Faded Laser Blue / Midnight Scream
Tyre Clear.	up to 700x30 mm
Fork	Columbus Disc 1-1/2" Carbon Monocoque Internal Cable Routing
Weight	Frame 990g (size M) - Fork 420g (uncut)
Brake	Flat Mount Disc Brake, Rotor Size Up To 160 mm
Dropouts ST	Rear TA Ø 12x142mm - MT 2x162 / Front TA Ø 12x100mm - MT 2x120
Highlights	Ft-Re: Skewers, Headset, Stem



geometry

	S1	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	450	519	112	71	74	50	406	582	978	70	373	512	372
S	480	537	123	71.5	73.5	50	406	592	988	70	373	524	382
M	510	555	138	71.8	73	50	408	600	998	70	373	540	389
L	540	572	158	72	72.5	50	408	610	1008	70	373	560	395
XL	570	590	180	72.7	72	50	408	619	1017	70	373	583	403

assembly

	ULTEGRA DISC DI2 ¥37,800.00	105 DI2 ¥35,000.00	105 ¥28,000.00
FRAME:	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线
FORK:	碳纤维前叉	碳纤维前叉	碳纤维前叉
SEATPOST:	碳纤维27.2圆形鞍管	碳纤维27.2圆形鞍管	碳纤维27.2圆形鞍管
HANDLEBAR:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
STEM:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
SADDLE:	selle italia Novus Boost	selle italia Novus Boost	selle italia Novus Boost
SPEED:	2x12S	2x12S	2x12S
CRANKSET:	SHIMANO ULTEGRA R8100 34*50T	SHIMANO 105 DI2 R7100 34*50T	SHIMANO 105 DI2 R7100 34*50T
CASSETTE:	SHIMANO ULTEGRA R8100 11-30T	SHIMANO 105 DI2 R7100 11-34T	SHIMANO 105 DI2 R7100 11-34T
CHAIN:	SHIMANO ULTEGRA M8100	SHIMANO 105 M7100	SHIMANO 105 M7100
FT.DERAILLEUR:	SHIMANO ULTEGRA DI2 R8150	SHIMANO 105 DI2 R7150	SHIMANO 105 R7120
R.DERAILLEUR:	SHIMANO ULTEGRA DI2 R8150	SHIMANO 105 DI2 R7150	SHIMANO 105 R7120
SHIFTERS:	SHIMANO ULTEGRA DI2 R8170	SHIMANO 105 DI2 R7170	SHIMANO 105 R7120
ROTORS:	SHIMANO ULTEGRA R8170	SHIMANO 105 R7170	SHIMANO 105 R7170
WHEELSET:	3T DISCUS 50i30 C	3T DISCUS 50i30 C	3T DISCUS 50i30 S
TYRES:	Pirelli P7 700x28C	Pirelli P7 700x28C	Pirelli P7 700x28C
WEIGHT LIMIT:	90Kg	90Kg	90Kg



ROAD GRAVEL ADVENTURE URBAN

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
1700 g	430 g	T47	32 mm

xcr

An ultra-light 100% Made in Italy steel racing frame that represents Cinelli's interpretation of the most important innovation steel bicycle manufacturing of the last 25 years: Columbus' XCR bi-phasic stainless steel.



The image has the sole purpose of presenting the product.
Some assembly specifications may vary.


- NEW Fully integrated cable routing with Columbus Trittico
- NEW T47 bottom bracket
- Italian racing geometry
- Fastback hidden seat clamp
- Titanium CNC head badge
- Winged-C dropouts
- World's lightest steel tubeset



The XCR represents Cinelli's 100% Made in Italy interpretation of the most important technological steel bicycle manufacturing technology of the last 25 years: Columbus XCR bi-phasic stainless steel. Featuring Italian racing geometry, round oversized tubes (38.4mm downtube with oriented ellipses), disc brakes, titanium headbadge, fastback seat stays, handpolished mirror finish and a 1700g true frame weight: this is the only performance frame in the world that will also be raced by your children and grandchildren. The ultimate heirloom performance bike.

frame specs

Sizes	XS (45) - S (48) - M (50) - L (53) - XL (56) - Made to Measure
Material	Columbus Xcr Tubeset
Headset	ZS 44/28.6 EC 44/40
Seatpost	Ø 31.6 mm
Seat Clamp	Integrated
BB Shell	T47 68 mm
Ft. derailleur	Clamp Ø 33 mm
Routing	Internal - Electronic Only
Color	Magic Mirror
Tyre Clear.	up to 700x32 mm
Fork	Columbus Trittico Carbon Road
Weight	Frame 1700 g. (size M) Fork 430 g. (uncut)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x173 / Front TA Ø 12x100mm - M12x119
Highlights	Frame / Fork / Ft. Derailleur Clamp



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	450	415	515	498	98	71.5	74.5	45	410	570	967	73	368	491	378
S	480	435	525	509	104	72	74	45	410	572	971	73	368	498	382
M	500	465	545	530	121	73	73.5	45	410	579	979	71	368	516	390
L	530	495	560	544	139	73.5	73	45	415	583	989	71	368	535	396
XL	560	525	580	564	172	73.5	72.5	45	415	599	1005	68	368	560	403

assembly

	¥122,770.00 SUPER RECORD WRL	¥108,600.00 RED ETAP axS	¥99,160.00 DURA-ACE DISC D12	¥78,380.00 ULTEGRA DISC D12
Drivetrain	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace 9270	Shimano Ultegra 8170
Handlebar	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road
Stem	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road
Seatpost	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road	Columbus Comp. Carbon Road
Shifters	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace R9270	Shimano Ultegra R8170
Brakes	Campagnolo Super Record	Sram Red	Shimano Dura-Ace R9270	Shimano Ultegra R8170
Rotors	Campagnolo 160 - 140 mm	Sram Centerline XR 160 - 140 mm	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Ft. derailleur	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150
R. derailleur	Campagnolo Super Record	Sram Red Etap AXS	Shimano Dura-Ace R9250	Shimano Ultegra R8150
Crankset	Campagnolo Super Record 48/32t	Sram Red Etap AXS 48/35t	Shimano Dura-Ace R9200 52/36t	Shimano Ultegra R8100 52/36t
Cassette	Campagnolo Super Record 10/29t	Sram Red Etap AXS 10/28t	Shimano Dura-Ace R9200 11/30t	Shimano Ultegra R8100 11/30t
Chain	Campagnolo Super Record	Sram Force Flathead	Shimano M9100	Shimano M8100
Wheelset	Campagnolo Hyperon	Fulcrum Wind DB	Fulcrum Wind DB	Fulcrum Wind DB
Tyres	Pirelli PZero 700x28	Pirelli PZero 700x28	Pirelli PZero 700x28	Pirelli PZero 700x28
Saddle	Selle Italia Novus	Selle Italia Novus	Selle Italia Novus	Selle Italia Novus



ROAD GRAVEL ADVENTURE URBAN

NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW NEW

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
2000 g	450 g	BSA	28 mm

nemo tig allroad

The ultimate go-everywhere
100% Made in Milano
endurance steel machine.




The image has the sole purpose of presenting the product.
Some assembly specifications may vary.

- NEW Allroad geometry including (sz M) 150mm headtube, 72,5° ST angle, 1018mm wheel base and 35mm wheel clearance for a more endurance position, handling and multi-terrain capability.
- NEW As of March 2023 all Nemo frames are manufactured within the Cinelli Milan HQ by our internal framebuilder allowing us to create the world's shortest supply chain for premium road bikes.
- NEW Ultralight collar
- Custom drawn Columbus Spirit triple-butted tubes
- Design-driven detailing and finish
- Available in 69 different paint and finish options



The Nemo All Road is entirely handcrafted by Cinelli's internal framebuilder in its Milanese HQ using custom drawn triple butted tube drawn by its sister company Columbus, less than 100 metres from the framebuilder creating the world's shortest performance bicycle supply chain.

Representing an evolution in the way road bikes – particularly contemporary oversized steel tube bikes – are being ridden as pleasure, adventure, exploration of nature and oneself become ever more important for the evolved cyclist, the Nemo All Road has been fine tuned for maximum comfort on epic rides and a geometry and handling that is equally at home on asphalt and dirt. Experienced cyclists will in fact notice carefully chosen details such as (sz M) the 150mm headtube, 72,5° ST angle, 1018mm wheel base and 35mm wheel clearance as well as the legendary ride feel provided by an artisanally hand welded frame made from custom drawn Columbus Spirit triple-butted tubes. A true forever (and anywhere) Cinelli.



geometry

	S1	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	480	510	115	70	74,5	47	430	584	1005	68	382	521	368
S	510	520	135	70	74,5	47	430	596	1017	68	382	540	370
M	540	535	150	71	74	47	430	597	1018	68	382	567	375
L	560	555	175	72	73,5	47	430	603	1024	68	382	585	382
XL	590	575	200	72,5	73	47	430	613	1033	68	382	611	388
XXL	610	595	225	73	72,5	47	430	621	1042	68	382	637	394

assembly

	ULTEGRA D12 ¥50,990.00	105 D12 ¥44,380.00
Drivetrain	Shimano Ultegra 8170	Shimano 105 7100
Handlebar	Cinelli Val	Cinelli Val
Stem	Cinelli Val	Cinelli Val
Seatpost	Cinelli Val Ø 27,2	Cinelli Val Ø 27,2
Shifters	Shimano Ultegra R8170	Shimano 105 R7170
Brakes	Shimano Ultegra R8170	Shimano 105 R7170
Rotors	Shimano 160 - 140 mm	Shimano 160 - 140 mm
Fl. derailleur	Shimano Ultegra R8150	Shimano 105 R7150
R. derailleur	Shimano Ultegra R8150	Shimano 105 R7150
Crankset	Shimano Ultegra R8100 52/36T	Shimano 105 R7100 52/36T
Cassette	Shimano Ultegra R8100 11/30T	Shimano 105 R7100 11/34T
Chain	Shimano M8100	Shimano M7100
Wheelset	Fulcrum Rapid Red 5	Fulcrum Rapid Red 5
Tyres	Vittoria Corsa Next 700x34	Vittoria Corsa Next 700x34
Saddle	SSM Shortfit	SSM Shortfit

frame specs

Sizes	XS (48) - S (51) - M (54) - L (56) - XL (59) - XXL (61) / Made to Measure
Material	Columbus Spirit HSS Tubest
Headset	IS 42/28,6 / IS 47/33
Seatpost	Ø 27,2 mm
Seat Clamp	CNC Machined ø 29,8
BB Shell	BSA 68 mm
Fl. derailleur	Clamp Ø 28,6mm
Routing	External / Internal Hydraulic Disc Brake Housing
Color	Olive Green (+3 Custom colors and +33 Colors matt or glossy)
Tyre Clear.	up to 700x35 mm
Fork	Columbus Futura Allroad Disc 1-1/8" - 1-1/4" Carbon Monoc.
Weight	Frame 2000 g, (size M) Fork 450 g, (uncut)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - MT12x173 / Front TA Ø 12x100mm - MT12x119
Highlights	Frame / Fork / Fl. Derailleur Clamp / Fl. & Re. Skewers / Headset



Olive green



ROAD GRAVEL ADVENTURE URBAN

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	BOTTOM BRACKET	MAX TYRE
1830 g	670 g	ITA	25 mm

supercorsa

The world's most famous classic Italian road bike, in uninterrupted production since the early 1950s.




GEOMETRY

COLORI DI SERIE:

BIANCO PERLA
AZZURRO LASER
TITANIUM GREY
VERDE JAGUAR
BLACK TIE
BLU CHINA
GIALLO CURRY
ROSSO FERRARI

	T	A	B	R	C	F	WB	E	STACK	REACH
48	510	72	74.5	50	401	557	984.5	66	486	374
49	515	72	74.5	50	402	571	963	69	495	377
50	520	72.5	74.5	50	402	573	964.5	70	505	378
51	525	72.5	74	50	402	573.2	964	73	513	377
52	535	72.5	74	50	403	583	975	73	523	384
53	540	73	74	45	405	579	972.5	73	533	387
54	545	73	73.5	45	405	579.3	973	73	541	383
55	550	73	73.5	45	405	584	978	73	550	387
56	560	73	73.5	45	405	594	988	73	560	394
57	565	73	73.5	45	406	599	994	73	570	396
58	570	73	73	45	407	599.5	995	73	578	393
59	575	73	73	45	408	604	1001	73	587	398
60	580	73	73	45	409	609	1007	73	597	398
61	580	73	73	45	409	609	1007	73	606	395
62	590	73	73	45	409	619	1017	73	616	402
63	590	73	73	45	410	619	1018	73	626	399
64	595	73	73	45	410	620	1019	73	635	401



FRAME SPECS

¥22,660.00

Material	48 to 64 (1 cm) - Made to Measure Columbus SL Double Butted Tubeset EC 30/25.4-24TP1 EC 30/26
Seatpost	B 27.2 mm
Seat Clamp	Integrated
BB Shell	ITA 70 mm
Ft. derailleur	Braze-On
	Rear Brake Internal Routing - Downtube Shifter Bosses Rosso Ferrari-Bianco Perla-Azzurro Laser-Titanium Grey-Verde Jaguar-Black Tie-Blu China-Giallo Curry up to 700x25 mm
Tyre Clear.	Columbus SL T-Threaded Frame 1830 g (size M) Fork 670 g (uncut) Standard Rim Brake
Dropouts ST	Front QR 130 mm - Rear QR 130 mm
Highlights	Frame / Fork





ROAD GRAVEL ADVENTURE URBAN


supercorsa pista

The world's most famous classic Italian track bike, in uninterrupted production since the early 1950s



COLORI DI SERIE:

- BIANCO PERLA**
- AZZURRO LASER**
- TITANIUM GREY**
- VERDE JAGUAR**
- BLACK TIE**
- BLU CHINA**
- GIALLO CURRY**
- ROSSO FERRARI**



GEOMETRY

	T	A	B	R	C	F	WB	E	STACK	REACH
49	510	72	75	35	388	567	946	60	488	379
50	520	73	75	35	388	566	946	60	500	385
51	525	73	75	35	388	568	948	60	505	389
52	535	73	75	35	388	569	948	60	515	397
53	540	73	75	35	388	571	951	60	520	401
54	545	74	75	35	388	572	952	60	532	402
55	550	74	75	35	388	575	955	60	542	405
56	555	74.5	74.5	35	388	578	958	60	553	402
57	560	74.5	74	35	390	580	962	60	562	399
58	565	74.5	74	35	390	585	967	60	567	402
59	570	75	74	35	390	583	965	60	578	404
60	575	75	74	35	390	586	968	60	588	407
61	580	75	74	35	390	592	975	60	598	409

FRAME WEIGHT (M)	FORK WEIGHT (M)	BOTTOM BRACKET	MAX TYRE
1780 g	670 g	ITA	25 mm



¥22,660.00 FRAME SPECS

Sizes	49 to 61 (1 cm) - Made to Measure
Material	Columbus Sirel Super Pista Double Butted Tubeset
Headset	EC 30/25.4-241PI EC 30/26
Seatpost	B 27.2 mm
Seat Clamp	Integrated
BB Shell	ITA 70 mm
Ft. derailleur	/
Routing	/
Color	Rosso Ferrari-Bianco Perla-Azzurro Laser-Titanium Grey-Verde Jaguar-Black Tie-Blu China-Giallo Curry
Tyre Clear.	up to 700x25 mm
Fork	Columbus SL Pista 1" Threaded
Weight	Frame 1780 g. (size M) Fork 670 g. (uncut)
Brake	/
Droptouts ST	Front QR 100 mm - Rear QR 120 mm
Highlights	Frame / Fork



“Zydeco
is the new
gravel”

GRAVEL

*Say gravel and you say Zydeco,
the bluesy and shaking music
from Louisiana. Meet a whole line
of gravel machines, the breed and
evolution of cyclocross Zydeco
towards the brand new experience
of the great outdoors on and off-
road: adventure, competition, ride
solo, touring, discovery.*





ROAD GRAVEL ADVENTURE URBAN

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	BOTTOM BRACKET	MAX TYRE
1000 g	465 g	BB 86,5	700x45c

king zydeco II



King Zydeco II is the fastest and lightest gravel bike ever made by Cinelli



The image has the sole purpose of presenting the product. Some assembly specifications may vary.


- 15% lighter than previous generation
- Columbus Components Allroad Cockpit and Seatpost reduce weight and increase reactivity and visual prestige
- Double Response layup and design system for best handling experience
- Full cable integration
- Fine-tuned fast gravel geometry
- Signature Cinelli attention to details design

When assembled with its proprietary Allroad cockpit and seatpost, the Zydeco King II framekit is an impressive 400g lighter than the original King Zydeco framekit, while stiffness values remain relatively in-line, with a significant increase in Bottom Bracket's (5%) and frontal stiffness. Furthermore the new King Zydeco II maintains the Dual Response System and the race-proven geometry of the King Zydeco, while adding an extra size (XS) and a more linear progression of stack and reach between sizes to improve tailored bike-fitting. Cinelli's signature attention to detail include the sleek modernist shape of its profile, the full cable integration, the custom top tube cover plate, the clean lines of its proprietary Allroad cockpit and seatpost.



frame specs

Sizes	XS (45) - S (46) - M (47) - L (48) - XL (50)
Cockpit	XS 90x400 - S 90x400 - M 100x420 - L 110x440 - XL 110x440 Included
Material	Columbus Carbon Monocoque
Headset	IS 52/28.6 IS 52/40 FSA ACR 1-1/2" (Included)
Seatpost	Aero (Included) / Carbon Rail Comp.
Seat Clamp	Hidden (Included)
BB Shell	Press Fit 86.5 x 41 mm
Ft. derailleurs	Brace-On Frame 1x FD Cover Included
Routing	Full Internal - Di2/EPS Compatible
Color	Orange Safari - Sage Rover
Tyre Clear.	up to 700x45 C
Fork	Full Carbon Monocoque 1-1/8" - 1-1/2"
Weight	Frame 1000 g (size M) Fork 456 g (uncol.) (+/- 5% - raw finish)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x174 / Front TA Ø 12x100mm - M12x121
Highlights	UDH Hanger / Ft. & Re. Skewers
Compatibility	Gravel drivetrain only GRX, Sram Wide and Ekar.



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	451	\	520	501	110	70.5	74	52	430	590	1009	72	395	531	362
S	461	\	540	519	125	71	73.5	52	430	601	1021	72	395	549	377
M	469	\	560	537	140	71.5	73	52	430	612	1032	70	395	563	388
L	479	\	580	555	155	72	72.5	52	430	621	1042	70	395	579	397
XL	497	\	600	574	175	72.5	72.5	52	430	636	1054	70	395	600	408

assembly

	EKAR ¥46,440.00	GRX DI2 ¥42,440.00	RIVIL AXS XPLR ¥39,288.00
FRAME:	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线	碳纤维车架 隐藏式走线
FORK:	碳纤维前叉	碳纤维前叉	碳纤维前叉
SEATPOST:	碳纤维异型鞍管	碳纤维异型鞍管	碳纤维异型鞍管
HANDLEBAR:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
STEM:	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组	碳纤维一体式全内走线把组
SADDLE:	selle italia Novus Boost	selle italia Novus Boost	selle italia Novus Boost
SPEED:	1x13S	2x12S	1x12S
CRANKSET:	CAMPAGNOLO EKAR 40T	SHIMANO GRX 820 48-31T	SRAM APEX 40T
CASSETTE:	CAMPAGNOLO EKAR 9-42T	SHIMANO HG710 11-36T	SRAM APEX 10-44T
CHAIN:	CAMPAGNOLO EKAR	SHIMANO M8100	SRAM APEX
FT.DERAILLEUR:	CAMPAGNOLO EKAR	SHIMANO GRX RX 825	SRAM RIVAL AXS
R.DERAILLEUR:	CAMPAGNOLO EKAR	SHIMANO GRX RX 825	SRAM RIVAL AXS
SHIFTERS:	CAMPAGNOLO EKAR	SHIMANO GRX RX 825	SRAM RIVAL HYDRO DISC
ROTORS:	CAMPAGNOLO EKAR	SHIMANO GRX RX 820	SRAM RIVAL
WHEELSET:	CAMPAGNOLO LEVANTE	CAMPAGNOLO SHAMAL	CAMPAGNOLO SHAMAL
TYRES:	Pirelli CINTURATO H 700x40C	Pirelli CINTURATO H 700x40C	Pirelli CINTURATO H 700x40C
WEIGHT LIMIT:	90kg	90kg	90kg



ROAD GRAVEL ADVENTURE URBAN

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	PRESS FIT	MAX TYRE
1000 g	550 g	BB 368	700x47c 650b x 2,1"

king zydeco

A pioneer of the European gravel riding movement, the King Zydeco is our go-fast-everywhere monocoque carbon fiber frame.



The image has the sole purpose of presenting the product.
Some assembly specifications may vary.

- Performance gravel geometry
- Tyre clearance up to 700x47c or 650x2.1"
- Adaptive geometry thanks to Columbus fork dropouts that allow to change the rake from 47 to 52 mm
- Double response stiffness/compliance frame design for best off-road riding experience
- Downtube kevlar shield
- Bike packing ready rivet system


A pioneer of the European gravel riding movement, the King Zydeco is a go-fast-everywhere monocoque carbon fiber frame, perfect for competitive gravel riding and fast touring/endurance racing. The engineering heart of the frame lies in the mould's transition between top tube and seat stays, specifically developed to allow for fibers to be continuously aligned allowing for significant weight reduction, optimization of the lay up and above all superior distribution of vibration arriving from the rear wheel. Working in tandem with the oversized tube sections of the down and head tube a "double response system" of finely tuned stiffness and compliance is created. The emotional heart of the frame lies in exploring new attitudes and emotions on adventures you didn't previously think were possible!



assembly

frame specs

Sizes	S (48) - M (51) - L (53) - XL (55)
Material	Columbus Carbon Monocoque
Headset	IS 42/28.6 IS 52/40 Columbus Compass 1-1/2" (Included)
Seatpost	Ø 27.2 mm
Seat Clamp	Ø 31.8 mm (Included)
BB Shell	BB386EVO 86.5 x 46 mm
Ft. derailleur	Clamp Ø 31.8 mm
Routing	Internal - Di2/EPs Compatible
Color	Gumbo - Grey Rock
Tyre Clear.	up to 700x47 C / 27.5x2.1 inc
Fork	Columbus Futura Cross 1-1/8" - 1-1/2" Carbon Monoc.
Weight	Frame 1000 g (size M) Fork 550 g (uncut)
Brake	Flat Mount Disc Brake, rotor size up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x167 / Front TA Ø 12x100mm - M12x132
Highlights	Extra Hanger / Di2 - EPs Cable Insert / Ft. & Re. Skewers



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
S	480	435	530	513	100	70	73	47/52	430	588	1010	70	395	519	371
M	510	468	550	530	130	71.5	73	47/52	430	595	1018	70	395	550	380
L	530	493	570	550	150	72.5	72.5	47/52	430	602	1024	70	395	576	389
XL	550	506	590	568	175	72.5	72.5	47/52	430	621	1044	70	395	599	400

EKAR ¥43,440.00

RIVAL axS XPLR ¥39,440.00

GRX 1X MIX ¥36,288.00

Drivetrain	Campagnolo Ekar	Sram Rival AXS XPLR	Shimano GRX
Handlebar	Cinelli Swamp	Cinelli Swamp	Cinelli Alu 6061
Stem	Cinelli Vai	Cinelli Vai	Cinelli Alu 6061
Seatpost	Cinelli Vai Ø 27.2	Cinelli Vai Ø 27.2	Cinelli Alu 6061
Shifters	Campagnolo Ekar	Sram Rival AXS	Shimano GRX ST-RX600
Brakes	Campagnolo Ekar	Sram Rival Hydro Disc	Shimano GRX ST-RX400
Rotors	Campagnolo Ekar	Paceline 160 mm	Shimano SM-RT64 160mm
Ft. derailleur	/	/	/
R. derailleur	Campagnolo Ekar	Sram Rival AXS XPLR	Shimano RD-RX812
Crankset	Campagnolo Ekar 40T	Sram Rival 1 Wide 40t	Shimano GRX FC-RX810-1 42T
Cassette	Campagnolo Ekar 9-42T	Sram Rival XPLR 10/44t	CS-M7000 SLX 11-42T
Chain	Campagnolo Ekar	Sram Rival	KMC X11 EPT
Wheelset	Fulcrum Rapid Red 500 DB	Fulcrum Rapid Red 500 DB	Fulcrum Rapid Red 900 DB
Tyres	Pirelli Cinturato H 700x40	Pirelli Cinturato H 700x40	WTB Riddler 700x37 Tan Sidewall
Saddle	SSM Shortfit	SSM Shortfit	SSM Shortfit



ROAD GRAVEL ADVENTURE URBAN

specs

BIKE WEIGHT 10,3 Kg
BOTTOM BRACKET BSA
MAX TYRE 40 mm

zydeco


Our original gravel bike, loved by riders across the world for its lightweight performance feeling combined with ultra-versatile design details making it ready for both city and mud!



The image has the sole purpose of presenting the product.
Some assembly specifications may vary.

- Our original gravel bike
- Oversized triple-butted Columbus Zona aluminium tubing
- All-weather urban commute to performance gravel adventure versatility
- Custom rivet system allows user endless bag and rack options
- Max tyre clearance 700x40c
- 10,3kg total bike weight

The most beloved of all Cinelli gravel bikes, the Zydeco's appeal lies in the quality of its manufacturing (triple-butted Columbus Zona aluminium tubes) and finish as well as its absolute versatility. Beyond its primary function as a performance gravel bike, the Zydeco can quickly morph into a bike-packing vehicle or fast all-weather urban commuter thanks to its exhaustive system of rivets.



geometry

	S1	S	T	T1	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	490	447	510	504	100	70.5	74.5	47	440	580	1010	71	382	510	371
S	510	467	520	514	120	71	74.5	47	440	587	1017	70	382	530	375
M	540	497	539	530	140	71.5	74	47	440	595	1025	70	382	551	380
L	560	517	560	549	160	72	73.5	47	440	606	1037	70	382	572	390
XL	590	547	580	570	180	72.5	73	47	440	617	1047	70	382	592	399

assembly

SHIMANO GRX 11S ¥20,770.00

FRAME:	铝合金外走线车架
FORK:	碳纤维前叉
SEATPOST:	铝合金座管
HANDLEBAR:	铝合金车把
STEM:	铝合金把立
SADDLE:	SELLEROYAL
SPEED:	2x11S
CRANKSET:	SHIMANO GRX 600 46-30T
CASSETTE:	SHIMANO HG700 11-34T
CHAIN:	SHIMANO HG-601
FT.DERAILLEUR:	SHIMANO GRX 810
R.DERAILLEUR:	SHIMANO GRX 810
SHIFTERS:	SHIMANO 105 一体式油刹
ROTORS:	油刹 (160/140)
WHEELSET:	久裕 NR32
TYRES:	MAXXIS
WEIGHT LIMIT:	/

frame specs

Sizes	XS (49) - S (51) - M (54) - L (56) - XL (59)
Material	Columbus Zona Triple Butted Alloy
Headset	S 42/28.6 S 47/53
Seatpost	Ø 31.6 mm
Seat Clamp	Ø 34.9 mm
BB Shell	BSA 68 mm
Ft. derailleur	Clamp Ø 34.9 mm
Routing	Internal
Color	Sage Rover White
Tyre Clear.	up to 700x40 mm
Fork	Columbus Futura Allroad 1-1/8" - 1-1/4" Carbon Monocoque
Weight	Frame 1760 g. (size M) Fork 450 g. (uncut)
Brake	Flat Mount, Rotor Size Up to 160 mm
Dropouts ST	Rear TA Ø 12x142mm - M12x165 / Front TA Ø 12x100mm - M12x119
Highlights	Front & Rear Fenders Ready / Rear Rack Eyelets / Fast Fuel Eyelets



ROAD GRAVEL ADVENTURE URBAN

vigorelli

The world's most famous track bike, born on the velodrome in Milan but a global cult for weaving through traffic...



This image has the sole purpose of presenting the product. Some assembly specifications may vary.


- ☑ Pure track reactive geometry (377mm chain stays in all sizes)
- ☑ Negative sloping top tube
- ☑ Aerodynamic blade seat tube
- ☑ Columbus Futura carbon monocoque carbon fork (1-1/8" - 1-1/2")
- ☑ UCI-approved for track competition



Since first launching in 2005 the Cinelli Vigorelli has become the world's most famous track bike, intimately associated with wave after wave of reappropriation of fixed gear bikes by urban racing subcultures. The frame itself has undergone continuous performance tweaks, fruit of collaboration with our extended family of different athletes, from pure track frame, to fixed gear crit specialist, to traffic-weaving machine... For 2023 the frame returns to its track performance roots, tuned for velodrome specialists (without forgetting urban riders looking for the ultimate speed thrill...).

specs

FRAME WEIGHT (M)	FORK WEIGHT (M)	BOTTOM BRACKET	MAX TYRE	FORK RAKE
1550 g	350 g	BSA	28 mm	45 mm



geometry

	S1	S	T1	T	H/T	A	B	R	C	F	WB	E	FORK	STACK	REACH
XS	480	455	510	506	110	71	74.5	45	405	572	967	70	368	510	369
S	510	485	520	516	120	71.5	74	45	405	573	968	70	368	520	371
M	540	515	535	531	145	72.5	73.5	45	405	575	969	70	368	547	373
L	560	535	550	545	160	73	73.5	45	405	585	980	70	368	564	383
XL	590	565	575	570	185	73	73	45	408	605	1003	70	368	587	395
XXL	610	585	590	584	210	73.5	72.5	45	410	609	1005	70	368	613	397

frame specs ¥9,440.00

Sizes	XS (52) - S (55) - M (57) - L (59) - XL (60.5)
Material	Columbus Airplane Triple Butted Alloy
Headset	IS 42/28.6 IS 52/40
Seatpost	Dedicated Aero Alu Seatpost L350
Seat Clamp	Dedicated Aero Seat Clamp
BB Shell	BSA 68 mm
Fl. derailleur	/
Routing	Rear Brake Internal Routing
Color	Rainbow - Special White
Tyre Clear.	up to 700x28 c
Fork	Columbus Futura Caliper 1-1/8" - 1-1/2" Carbon Monoc.
Weight	Frame 1550 g, (size M) Fork 350 g, (uncut) Seatpost 200 g.
Brake	Standard Rim Brake
Dropouts ST	Front QR 100mm - Rear QR 120mm / Stainless Steel Removable Plates
Highlights	Seatpost / Seatclamp / Headset - Expander